

# VINI-TAPE®

WORLD'S LEADING INSULATING TAPE

- Reliable electrical insulating tapes sold in more than 60 countries all over the world.
- 世界 60 カ国以上で販売される、信頼の電気絶縁テープ
- 深受全球 60 個國家用家信任的 PVC 膠布

Superior Holding Power

Long Term Storage Stability

Well Heat Resisting

Eco-friendly




Denka

# VINI-TAPE®

自 1949 年起 DENKA 已開始生產 PVC 膠布，擁有超過 60 年的生產經驗。在 1951 年，DENKA 在日本成為第一家製造以及販賣氣乙烯膠布的公司。在建立自家品牌 VINI TAPE 以及經過數十年的努力，現已在全球超過 60 個不同國家發售，銷售據點遍佈中東，亞洲，拉丁美洲以及其他國家，籍其 60 年不斷改良配方以及日本嚴格的品質管理下，深受用家愛戴。



來自全球超過 **60** 個國家用家的肯定  
目前 VINI-TAPE® 已在全球超過 60 個國家發售，包括中東，亞洲以及拉丁美洲。憑藉其超卓的品質，深受各國用家肯定。




VINI-TAPE® 是由 3 層物料組合而成，包括 PVC 薄膜，特殊底油 以及 粘合劑。特殊底油配合粘合劑，令 VINI-TAPE® 貼得更強更穩。


## APPLICATIONS 各類用途

VINI-TAPE® is mainly used ① As an electrical insulation and terminal processing, ② In repairs of used cars and other vehicles, ③ In hardware, and ④ In DIY

① 一般絕緣以及電線終端絕緣處理



② 維修電單車以及各類車輛



④ 各類DIY活動




③ 各類電工工具絕緣處理以及粘合處理

## MANUFACTURING PROCESS

How is the quality of VINI-TAPE® built in and managed?  
The entire manufacturing process of VINI-TAPE® is divided into three processes.


### 生產過程

- 1) 巨型膠卷 (JUMBO ROLL) 生產：在此程序中，PVC 原料以及各類添加劑（塑化劑，安定劑，顏料等）會在混合後加工成形製作成巨型膠卷。
- 2) 長條膠卷 (LOG ROLL) 生產：在巨型膠卷生產後，會進行底漆以及粘合劑塗抹程序，生產成長條型膠卷。
- 3) 切割，檢查及包裝：在長條膠卷生產完成後，會送到切割機進行切割程序，完成後會由自動檢測機檢測，合格後才會進行包裝。由切割到包裝均由全自動系統。



# 五大優點 FIVE ADVANTAGES

## 1 | Superior Holding Power 強粘性



## 2 | Excellent Storage Stability 可長期儲存




## 3 | Less Telescoping 不容易變形




## 4 | Excellent Heat Resistance 強耐熱性

高溫下仍保持粘力不脫落  
(在環境溫度113度, 長達72小時測試後)




## 5 | Eco-friendly 符合各項環保指標


低VOC產品  
(符合歐盟ROHS以及SVHC指標)



控制, 確保品質優良。



The illustrations above are visual representations.



# Denka

## Denka Company Limited

Life Science & Environment Products

Social Life Products Department

Nihonbashi Mitsui Tower, 1-1, Nihonbashi-Muromachi 2-chome, Chuo-ku, Tokyo 103-8338, JAPAN

Authorised Distributed by:

### **GTG MANUFACTURING SDN. BHD. (968289-M)**

Address: Lot 1-10, Jalan Perindustrian Mahkota Utama, Kawasan Perindustrian Mahkota, 43700 Beranang, Selangor, Malaysia.

Tel: +603-8724 7168 | Fax: +603-8723 7688 | Email: [info@gtggroup.com.my](mailto:info@gtggroup.com.my) | Website: [www.gtggroup.com.my](http://www.gtggroup.com.my)

#### ■ Note

---

- The information contained in this catalog is current as of October, 2016.
- Product specification, packaging specification and product color are subject to change without notice.  
Also, sales of products may terminate without prior notice. We ask for your understanding in this regard.
- Prior to use, please make sure to confirm if our product matches your intended purpose and product safety requirements by conducting a test under your responsibility.
- The information contained in this catalog is accurate to the degree of the author's knowledge.  
Accordingly, an absolute guarantee of accuracy and completeness cannot be provided. Since the information provided is based on general investigation and experimental results, a complete guarantee is not possible
- The technical information and data contained in this catalog should be considered representative values and not guaranteed.
- Copying of the content in this catalog is strictly prohibited.